

有帆緑地の水質調査結果(平成27年度)

【H27年度】

	浸透水					No-1			No-2		
	水温	pH	BOD (mg/ℓ)	COD (mg/ℓ)	EC (mS/cm)	水温	pH	EC (mS/cm)	水温	pH	EC (mS/cm)
4/1	17	7.2	17	9.5	2.5	18	6.7	1.3	18	6.5	0.21
5/12	17	7.3	5.7	15	0.69	17	6.7	1.3	17	7.1	0.17
6/2	18	7.3	19	11	2.5	20	6.6	1.3	20	6.8	0.15
6/30	20	7.3	30	13	1.8	20	6.6	1.3	20	6.8	0.15
8/4	19	7.1	23	9.3	2.5	19	6.8	1.4	19	6.7	0.15
9/1	23	7.3	3.6	4.8	0.83	18	6.9	0.92	18	7.1	0.18
10/5	20	7.3	22	10	1.7	18	6.8	1.4	19	7.1	0.18
11/4	18	7.4	31	8.6	2.5	16	6.9	1.3	17	6.6	0.19
12/1	18	7.5	33	9.6	2.2	16	7.1	1.2	16	6.9	0.19
1/5	15	7.6	24	10	2.3	15	6.9	1.3	15	7.0	0.17
2/2	12	7.5	24	6.1	1.8	14	7.0	1.3	14	7.3	0.21
3/3	—	7.7	0.7	6.8	1.9	15	7.0	1.2	16	7.8	0.14

【H27年度】

	浸透水					No-1			No-2		
	水温	pH	BOD (mg/ℓ)	COD (mg/ℓ)	EC (mS/cm)	水温	pH	EC (mS/cm)	水温	pH	EC (mS/cm)
最大	23.0	7.7	33	15	2.5	20.0	7.1	1.4	20.0	7.8	0.21
最小	12.0	7.1	0.7	4.8	0.7	14.0	6.6	0.9	14.0	6.5	0.14
平均	17.9	7.4	19	9.5	1.9	18.7	6.8	1.3	19.0	7.0	0.17

〈有帆緑地：年度平均〉

	浸透水					No-1			No-2		
	水温	pH	BOD (mg/ℓ)	COD (mg/ℓ)	EC (mS/cm)	水温	pH	EC (mS/cm)	水温	pH	EC (mS/cm)
H18年度	14.9	6.0	1.4	2.7	6.2	16.8	6.8	1.0	17.1	6.0	0.44
H19年度	16	6.5	7.1	3.4	1.4	16.7	6.9	0.95	17.4	6.2	0.24
H20年度	16.3	7.0	1.9	9.7	1.8	16.8	7.1	0.70	17.6	6.1	0.30
H21年度	16.9	6.9	1.4	10	1.7	16.8	6.9	0.70	17.1	6.3	0.30
H22年度	17.6	6.9	0.6	9.5	2.2	16.4	6.9	0.90	17.3	6.3	0.42
H23年度	18.2	6.8	2.1	8.3	2.6	16.5	6.8	1.40	17.7	6.4	0.45
H24年度	18.2	6.8	2.1	8.3	2.6	16.5	6.8	1.40	17.7	6.4	0.45
H25年度	—	7.1	3.4	7.0	2.3	—	6.7	1.43	—	6.1	0.33
H26年度	16.4	7.1	11.9	10.3	2.4	17.4	6.7	1.32	18.2	6.4	0.19
H27年度	17.9	7.4	19	9.5	1.9	18.7	6.8	1.27	19.0	7.0	0.17

