

有帆緑地の水質調査結果(平成25年度)

【H25年度】

	浸透水				No-1		No-2	
	pH	BOD (mg/l)	COD (mg/l)	EC (mS/cm)	pH	EC (mS/cm)	pH	EC (mS/cm)
4/3	7.1	0.7	6.6	2.7	6.7	1.5	6.0	0.44
5/1	6.9	9.9	5.2	1.5	6.8	1.5	6.1	0.45
6/5	7.1	10	5.8	2.2	6.7	1.40	5.8	0.45
7/3	7.1	16	5.0	2.7	6.9	1.20	6.6	0.16
8/1	6.9	2.6	7.8	2.8	6.8	1.4	6.6	0.24
9/4	6.9	1.0	4.6	0.85	6.5	1.0	5.9	0.34
10/2	6.9	<0.5	8.6	2.8	6.6	1.6	5.9	0.35
11/6	6.9	0.7	7.4	2.4	6.8	1.4	6.1	0.31
12/4	7.1	<0.5	8.0	2.4	6.7	1.6	6.0	0.31
1/8	7.2	<0.5	8.1	2.6	6.7	1.5	5.9	0.31
2/3	7.3	<0.5	8.2	2.3	6.6	1.5	5.9	0.29
3/5	7.2	<0.5	8.7	2.2	6.6	1.5	6.1	0.25

【H25年度】

	浸透水				No-1		No-2	
	pH	BOD (mg/l)	COD (mg/l)	EC (mS/cm)	pH	EC (mS/cm)	pH	EC (mS/cm)
最大	7.3	16.0	9	2.8	6.9	1.6	6.6	0.45
最小	6.9	0.7	4.6	0.9	6.5	1.00	5.8	0.16
平均	7.1	3.4	7.0	2.3	6.7	1.43	6.1	0.33

〈有帆緑地：年度平均〉

	浸透水				No-1		No-2	
	pH	BOD (mg/l)	COD (mg/l)	EC (mS/cm)	pH	EC (mS/cm)	pH	EC (mS/cm)
H18年度	6.0	1.4	2.7	6.2	6.8	1.0	6.0	0.44
H19年度	6.5	7.1	3.4	1.4	6.9	0.95	6.2	0.24
H20年度	7.0	1.9	9.7	1.8	7.1	0.70	6.1	0.30
H21年度	6.9	1.4	10	1.7	6.9	0.70	6.3	0.30
H22年度	6.9	0.6	9.5	2.2	6.9	0.90	6.3	0.42
H23年度	6.8	2.1	8.3	2.6	6.8	1.40	6.4	0.45
H24年度	6.8	2.1	8.3	2.6	6.8	1.40	6.4	0.45
H25年度	7.1	3.4	7.0	2.3	6.7	1.43	6.1	0.33

有帆緑地(水質調査)の推移

